

	Type	Hits	Search Text
1	BRS	1178	trace with buffer
2	BRS	58	(trace with buffer) and (pointer with buffer) and (pointer with (instruction pipeline execution))
3	BRS	826	trace.ti.
4	BRS	13	(trace with buffer).ti.
5	BRS	1	trace with buffer with vliw
6	BRS	1	trace with buffer with vliw
7	BRS	0	instruction with reuse with vliw
8	BRS	3	instruction with reuse with vliw
9	BRS	13	"6031992".URPN.
10	BRS	425	pointer with provid\$4 with (instruction program word)
11	BRS	186	pointer with provid\$4 with (instruction)
12	BRS	0	pointer with "are provided as" with (instruction)
13	BRS	0	pointer with "are provided as" with program
14	BRS	0	pointer with "are provided as" with word
15	BRS	0	pointer with "is provided as" with word
16	BRS	0	pointer with "is provided as"
17	BRS	0	pointer with "is provided"
18	BRS	0	pointer with "provided"
19	BRS	0	pointer with "provide"
20	BRS	0	pointer with provide
21	BRS	142	pointer with provid\$2
22	BRS	860	((trace reuse) with buffer) and (pointer decod\$4)
23	BRS	67	((trace reuse) with buffer) and (pointer with decod\$4)
24	BRS	124	(microcode with sequence) same complex
25	BRS	0	(microcode with sequence) same (complex with index)
26	BRS	0	(microcode with sequence with index) same (complex)
27	BRS	339	712/200.ccls.
28	BRS	127	(microcode with sequence) same complex
29	BRS	90	((trace reuse) with buffer) and (pointer with decod\$4)

	DBs
1	USPAT
2	USPAT
3	USPAT
4	USPAT
5	USPAT
6	USPAT
7	USPAT
8	USPAT
9	USPAT
10	USPAT
11	USPAT
12	USPAT
13	USPAT
14	USPAT
15	USPAT
16	USPAT
17	USPAT
18	USPAT
19	USPAT
20	USPAT
21	USPAT
22	USPAT
23	USPAT
24	USPAT
25	USPAT
26	USPAT
27	USPAT
28	USPAT; EPO; JPO
29	USPAT; EPO; JPO

	Type	Hits	Search Text
30	BRS	1004	((trace reuse) with buffer) and (pointer decod\$4)
31	BRS	176	pointer with provid\$2
32	BRS	4	instruction with reuse with vliw
33	BRS	239	pointer with provid\$4 with (instruction)
34	BRS	562	pointer with provid\$4 with (instruction program word)
35	BRS	1	trace with buffer with vliw
36	BRS	1	trace with buffer with vliw
37	BRS	23	(trace with buffer).ti.
38	BRS	66	(trace with buffer) and (pointer with buffer) and (pointer with (instruction pipeline execution))
39	BRS	126	(microcode with sequence) same (complex)

	DBs
30	USPAT; EPO; JPO
31	USPAT; EPO; JPO
32	USPAT; EPO; JPO
33	USPAT; EPO; JPO
34	USPAT; EPO; JPO
35	USPAT; EPO; JPO
36	USPAT; EPO; JPO
37	USPAT; EPO; JPO
38	USPAT; EPO; JPO
39	USPAT